THE AMERICAN JOURNAL OF DRUG AND ALCOHOL ABUSE
Vol. 29, No. 4, pp. 897–906, 2003

# Index to Volume 29

A

Abstinence self-efficacy, coping with paradoxical findings in relation to, 385–399
Acharyya, S., 415–444
Adams, J. B., 691–712
Adolescent substance abusers, relationships between personality and preferred substance and motivations for use among, 691–712
Adult prostitution behavior, in a multiethnic heterosexual drug-using population, relation to childhood trauma, 463–486
Adult substance abusers, receiving publicly funded treatment in Massachusetts, quality of life assessments by, 323–335
African-American drug users, PTSD among, 729–741
Alcohol
  attitudes toward seeking treatment among college students using, 671–690
  measurement of level of response to on the Self-Rating of the Effects of Alcohol Questionnaire in a group of 40-year-old women, 191–201
Alcohol dependence, comparative profiles of women with comorbid PTSD, 169–189
Alcohol prevention federally funded program, outcomes in higher education, 803–827
Alcohol treatment, factors associated with probation officers' use of criminal justice coercion for mandating, 647–670
Alcohol use and problems, differential prediction of, 861–879
Alcoholics, predictors of drinking outcomes among, 203–218



DOI: 10.1081/ADA-120027692
0095-2990 (Print); 1097-9891 (Online)
Copyright © 2003 by Marcel Dekker, Inc.
www.dekker.com

Alexander, D., 619–646
Alternative therapy, use and assessment by intravenous drug users, 401–413
Andersen, M., 847–859
Anderson, B. J., 401–413
Antipsychotics, conventional versus atypical, relationship of clinical symptoms and substance use in schizophrenia patients on, 553–566
Ashley, O. S., 19–53
Axis II comorbidity, treatment outcome relationship to dually diagnosed inpatients with and without, 263–279

B

Back, S. E., 169–189
Baruch, E. M., 487–496
Bates, M. E., 515–538
Bay, C., 445–461
Beaumont, J. L., 599–617
Benotsch, E. G., 881–894
BeShears, R. S., 759–773
Biopsychological variables, role in differential prediction of alcohol use and problems, 861–879
Blank, D., 151–167
Block, R. I., 515–538
Bradley, R. H., 743–758
Brady, K. T., 169–189
Brady, T. M., 19–53
Breath-analyzed ignition interlock device, as a technological response to DWI, 219–235
Brecht, M.-L., 75–104
Brooks, A. J., 359–383
Buprenorphine-maintained patients, cocaine abusing treated with desipramine and contingency management, comorbid major depressive disorder as a prognostic factor in, 497–514
Burgdorf, K., 743–758

C

Cangianelli, L., 151–167
Case management, for substance abusers with HIV/AIDS, 133–150
Chan, K. S., 337–357
Cherpitel, C. J., 789–802
Childhood
  adverse events, relation to substance use and labor force participation among homeless adults, 829–846
  trauma, and adult prostitution behavior in a multiethnic heterosexual drug-using population, 463–486
Children, of mothers with serious substance abuse problems, an accumulation of risks among, 743–758
Clinical symptoms, relationship with substance use in schizophrenia patients on conventional versus atypical antipsychotics, 553–566
Cocaine, relation of duration of use in non-treatment seeking individuals with cocaine dependence to psychosocial stress, 539–551
Cocaine dependence
  comparative profiles of women with comorbid PTSD, 169–189

urine cocaine results and self-reported cocaine use prediction of treatment outcome for, 713–727
Cocaine-abusing buprenorphine-maintained patients, treated with desipramine and contingency management, comorbid major depressive disorder as a prognostic factor in, 497–514
Cognitive skills training, impact on drug abuse counseling and readiness for treatment, 1–18
College students, alcohol using, attitudes toward seeking treatment among, 671–690
Collins, C. C., 237–261
Community referral sources, and entry of treatment-naïve clients into outpatient addiction treatment, 105–115
Community-based outpatient program, substance abuse treatment characteristics of probation-referred young adults in, 585–597
Complementary therapy, use and assessment by intravenous drug users, 401–413
Conners, N. A., 743–758
Contingency management, for improving on-time counseling attendance in a methadone treatment program, 759–773
Cooper, I., 553–566
Corley, R. P., 691–712
Covarrubias, L. D., 729–741
Criminal justice coercion, factors associated with probation officers' use to mandate alcohol treatment, 647–670
Czuchry, M., 1–18

D

Danko, G. P., 191–201
Dansereau, D. F., 1–18
Dansky, B. S., 169–189
D'Aunno, T. A., 105–115
Dawson, K. S., 117–131
Deerfield, L. J., 487–496
Deluca, A., 203–218
Delucchi, K. L., 133–150
Dermatis, H., 263–279
Desipramine and contingency management, comorbid major depressive disorder as a prognostic factor in cocaine-abusing buprenorphine-maintained patients treated with, 497–514
Desmond, D. P., 463–486
Differential prediction, of alcohol use and problems, 861–879
Dilley, J., 133–150
Drinking outcomes, predictors among alcoholics, 203–218
Driving while intoxicated (DWI), breath-analyzed ignition interlock device as a technological response to, 219–235
Drug abuse counseling, impact of cognitive skills training on, 1–18
Drug Abuse Treatment Outcome Study, assessing sex differences on treatment effectiveness from, 415–444
Drug court probationers, psychiatric illness among, 775–788

Drug prevention federally funded program, outcomes in higher education, 803–827
Dual diagnosis, comparison of treatments for, 359–383
Dual-focus self-help groups, mediators of effectiveness in, 301–322
Dually diagnosed inpatients, with and without axis II comorbidity, relationship to treatment outcome, 263–279
DWI. *See* Driving while intoxicated

E

Easton, C., 585–597
Effectiveness
  mediators in dual-focus self-help groups, 301–322
  of substance abuse treatment programming for women, 19–53
Elman, I., 539–551
Emergency room services utilization, changes in substance use associated with, 789–802
Evans, P. C., 671–690

F

Federally funded program, outcomes for alcohol and other drug prevention in higher education, 803–827
Feingold, A., 497–514
Ferrari, J. R., 385–399
Fong, C., 203–218
Foote, J., 203–218
Friedmann, P. D., 105–115
Fulkerson, J. A., 219–235

G

Galanter, M., 263–279
Gamma-hydroxybutyrate withdrawal delirium, management on a psychiatric unit, 487–496
Gay, O., 553–566
Gender
  effects on parents in drug treatment, 237–261
  influence on factors associated with HIV transmission risk among young Russian injection drug users, 881–894
Goetzel, R. Z., 151–167
Gonsai, K., 497–514
Gonzalez, G., 497–514, 713–727
Gore-Felton, C., 881–894
Gottheil, E., 567–584
Graves, J. A., 729–741
Greenfield, T. K., 647–670
Greenwell, L., 75–104
Grella, C. E., 237–261

H

Hagedorn, H., 775–788
Hall, J. A., 515–538
Haller, D. L., 117–131
Harris, C., 847–859
Hatch, J. P., 463–486
Health insurance and payment, changes for substance use treatment, 55–74
Health status, self-reported, among treated methamphetamine users, 75–104
Heath, A. J., 691–712
Helmus, T. C., 759–773
Herrell, J. M., 743–758
Hewitt, J. K., 691–712

Higher education, outcomes of a federally funded program for alcohol and drug prevention in, 803–827
High-structure treatments, for substance dependence, role of learned helplessness in, 567–584
Hispanic drug users, PTSD among, 729–741
HIV transmission risk, among young Russian injection drug users, influence of gender on factors associated with, 881–894
HIV/AIDS
  case management for substance abusers with, 133–150
  integration of medical and substance abuse treatment for addicts living with, 847–859
Homeless adults, relation of adverse childhood events to substance use and labor force participation among, 829–846
Hser, Y.-I., 237–261

I

Injection drug users, influence of gender on factors associated with HIV transmission risk among, 881–894
Injuries, relationship of occurrence at a large manufacturing firm with urinalysis testing for substance use, 151–167
Intimate partner violence, links to substance use before and during pregnancy, 599–617
Intravenous drug users, use and assessment of complementary and alternative therapies by, 401–413
Isacescu, V., 191–201

J

Jason, L. A., 385–399

K

Kaczynski, R., 847–859
Karlsgodt, K. H., 539–551
Kelly, J. A., 881–894
Kemp, K., 585–597
Killeen, T., 169–189
Knight, E. L., 301–322
Kosanke, N., 203–218
Koss-Chioino, J. D., 445–461
Kosten, T. R., 497–514, 713–727
Kozlov, A., 881–894
Kupper, L. L., 599–617

L

Labor force participation, among homeless adults, relation to adverse childhood events, 829–846
Larson, M. J., 323–335
Laudet, A. B., 301–322
Learned helplessness, role in high- and low-structure treatments for substance dependence, 567–584
Ledgerwood, D. M., 759–773
Lemon, S. C., 105–115
Levounis, P., 263–279
Licciardone, J. C., 803–827
Liu, J. Y., 743–758

London, J., 133–150
Low-structure treatments, for substance dependence, role of learned helplessness in, 567–584
Lukas, S. E., 539–551

M

Madeja, C., 847–859
Magura, S., 203–218, 301–322
Mahmood, D., 301–322
Majer, J. M., 385–399
Major depressive disorder, comorbid, as a prognostic factor in cocaine-abusing buprenorphine-maintained patients treated with desipramine and contingency management, 497–514
Manheimer, E., 401–413
Mannelli, P., 567–584
Mansell, L. W., 743–758
Marijuana Screening Inventory, description and preliminary psychometric properties of, 619–646
Mark, T. L., 151–167
Marsden, M. E., 19–53
Martin, S. L., 599–617
Medical expenditures, relationship with urinalysis testing for substance use at a large manufacturing firm, 151–167
Medical treatment, integration with substance abuse treatment for addicts living with HIV/AIDS, 847–859
Medrano, M. A., 463–486
Methadone treatment program, contingency management for improving on-time counseling attendance in, 759–773
Methamphetamine users, treated, self-reported health status among, 75–104
Mexican American youths, validity of substance abuse subtypes in a sample of, 445–461
Miles, D. R., 117–131
Miller, A. H., 553–566
Montoya, I. D., 729–741
Morral, A. R., 337–357
Mothers, with serious substance abuse problems, an accumulation of risks among children of, 743–758
Motivations for use, relationships with personality among adolescent substance abusers, 691–712
Moynes, K. A., 553–566
Multiethnic heterosexual drug-using population, relation of adult prostitution behavior to childhood trauma, 463–486
Murray, H. W., 567–584

N

Non-treatment seeking individuals, with cocaine dependence, relation of psychosocial stress to duration of cocaine use in, 539–551
North, C. S., 385–399

O

Oggins, J., 55–74
Okin, R. L., 133–150
Oliveto, A., 497–514

Olson, B. D., 385–399
On-time counseling attendance, contingency management improvement in a methadone treatment program, 759–773
Opioid dependence, urine cocaine results and self-reported cocaine use prediction of treatment outcome for, 713–727
Optimism, coping with paradoxical findings in relation to, 385–399
Orlando, M., 337–357
Ostrovski, D., 881–894
Outpatient addiction treatment, community referral sources and entry of treatment-naïve clients into, 105–115
Ozminkowski, R. J., 151–167

P

Paliwoda, J., 847–859
Parental involvement, effects of level on parents in drug treatment, 237–261
Patek, J. A., 729–741
Patkar, A. A., 567–584
Peña, J. M., 445–461
Penn, P. E., 359–383
Perfetti, L., 671–690
Personality, relationships with preferred substance and motivations for use among adolescent substance abusers, 691–712
Personality disorder, treatment outcome relationship to dually diagnosed inpatients with and without, 263–279
Phibbs, C. S., 133–150
Polcin, D. L., 647–670
Poling, J., 713–727
Posttraumatic stress disorder (PTSD)
among Hispanic and African-American drug users, 729–741
comparative profiles of women with comorbid cocaine or alcohol dependence, 169–189
Predictors, of drinking outcomes among alcoholics, 203–218
Preferred substance, relationships with personality among adolescent substance abusers, 691–712
Pregnant substance abusers
factors influencing treatment enrollment by, 117–131
substance use before and during pregnancy and links to intimate partner violence, 599–617
Premorbid cognitive abilities, relation to substance users' problems at treatment intake and improvements with substance abuse treatment and case management, 515–538
Primary care services utilization, changes in substance use associated with, 789–802
Probation officers, factors associated with use of criminal justice coercion to mandate alcohol treatment, 647–670
Psychiatric illness, among drug court probationers, 775–788
Psychosocial stress, and the duration of cocaine use in non-treatment seeking individuals

with cocaine dependence, 539–551
PTSD. *See* Posttraumatic stress disorder

Q

Quality of life, assessments by adult substance abusers receiving publicly funded treatment in Massachusetts, 323–335

R

Readiness for treatment, impact of cognitive skills training on, 1–18
Reid, H., 847–859
Residential treatment programs, retention of court-referred youths in, 337–357
Rhodes, G. L., 759–773
Roberts, T. J., 743–758
Robertson, M. J., 829–846
Roll, J., 759–773
Rosenberg, M. H., 487–496
Rosenblum, A., 203–218, 301–322
Ross, S., 263–279
Rush, C. R., 281–299, 895–896

S

Saules, K. K., 759–773
Scheller-Gilkey, G., 553–566
Schizophrenia patients, on conventional versus atypical antipsychotics, relationship of clinical symptoms and substance use in, 553–566
Schoener, E., 847–859
Schuckit, M. A., 191–201
Schuster, C. R., 759–773
Self-help groups, dual focus, mediators of effectiveness in, 301–322
Self-Management and Recovery Training, compared to 12-step treatment for dual diagnosis, 359–383
Self-mastery, as a helpful resource, 385–399
Self-Rating of the Effects of Alcohol Questionnaire, for measurement of level of response to alcohol in a group of 40-year-old women, 191–201
Self-reported health status, among treated methamphetamine users, 75–104
Sex differences, assessment on treatment effectiveness from the Drug Abuse Treatment Outcome Study, 415–444
Simons, J. S., 861–879
Sinha, R., 585–597
Smith, K. W., 323–335
Smith, T. L., 191–201
Social-environmental variables, role in differential prediction of alcohol use and problems, 861–879
Sofuoglu, M., 713–727
Somlai, A. M., 881–894
Sonne, S. C., 169–189
Sorensen, J. L., 133–150
Staines, G., 203–218
Stallings, M. C., 691–712
Stein, M. D., 105–115, 401–413
Stoops, W. W., 281–299, 895–896
Substance abuse subtypes, validity in a sample of Mexican American youths, 445–461
Substance abuse treatment

and case management, relation of premorbid cognitive abilities to substance users' improvements with, 515–538
characteristics, of probation-referred young adults in a community-based outpatient program, 585–597
integration with medical treatment for addicts living with HIV/AIDS, 847–859
programming, effectiveness for women, 19–53
Substance use, relationship with clinical symptoms in schizophrenia patients on conventional versus atypical antipsychotics, 553–566
Substance use treatment, changes in health insurance and payment for, 55–74

T

Tam, T. W., 829–846
Thornton, C. C., 567–584
Treatment effectiveness, assessing sex differences from the Drug Abuse Treatment Outcome Study, 415–444
Treatment enrollment, by pregnant substance abusers, 117–131
Treatment intake, relation of premorbid cognitive abilities to substance users' problems at, 515–538
Treatment outcome
prediction by baseline urine cocaine results and self-reported cocaine use for cocaine and opioid dependence, 713–727
relationship of dually diagnosed inpatients with and without axis II comorbidity to, 263–279
Treatment seeking, among alcohol-using college students, 671–690
Trent, C., 847–859
Triazolam, differential effects in humans after repeated administrations of, 281–299, 895–896
Twelve-step treatment, compared to Self-Management and Recovery Training for dual diagnosis, 359–383

U

Urinalysis testing for substance use, relationship with medical expenditures and the occurrence of injuries at a large manufacturing firm, 151–167

V

Vergare, M. J., 567–584
Vogel, H. S., 301–322

W

Walsh, J. M., 151–167
Weber, C., 847–859
Weinstein, S. P., 567–584
Willenbring, M., 775–788
Withdrawal delirium, from gamma-hydroxybutyrate, management on a psychiatric unit, 487–496

Women
effectiveness of substance abuse treatment programming for, 19–53
level of response to alcohol measured on the Self-Rating of the Effects of Alcohol Questionnaire, 191–201
with PTSD and comorbid cocaine or alcohol dependence, 169–189
Woolwine, B. J., 553–566

Y

Young, S. E., 691–712
Young adults, probation referred, substance abuse treatment characteristics in a community-based outpatient program, 585–597
Youths
court referred, retention in residential treatment programs, 337–357
Mexican American, validity of substance abuse subtypes in a sample of, 445–461
Yu, J., 671–690

Z

Zhang, H., 415–444
Zlotnick, C., 829–846
Zolpidem, differential effects in humans after repeated administrations of, 281–299, 895–896
Zule, W. A., 463–486